


SALES CONTRACT

Contract No: 20251212

Date: December 12, 2025



1. The buyer:

Name of the Buyer: **YAMAICHI CO., LTD**

Address: 1-4-11 Tosabori, Nishi-Ku, Osaka 550-0001, JAPAN

Phone: +81 6 6447 5943

Web: www.yamaichi-web.jp

Represented by: **MR. SHIGETO TONOYA** Title: CEO

2. The Seller:

Name of the Buyer: **NGOC THOM TRADING AND SERVICE CO.LTD**

Address: 12/14/18 49 street, Quarter 69, Hiep Binh Ward, Ho Chi Minh City, Vietnam

Tax code: 0309391503

Represented by: **MRS. TRAN THI THOM** Title: Chairman

Email: dangxuannngoc@ngocthom.com.vn

Bank account

Bank Name: JOINT STOCK COMMERCIAL BANK FOR FOREIGN TRADE OF VIETNAM- DONG NAI
EASTERN BRANCH

Bank Address: 53A/4, 1A National Highway, Ho Nai Ward, Dong Nai Province, Viet Nam.

SWIFT: BFTVNVX

A/C No: 1019911346

A/C Holder: NGOC THOM TRADING AND SERVICE COMPANY

3. The Consignee:

Name of Consignee: **PHONG PHU HOME TEXTILE JOINT STOCK COMPANY**

Address: Hanh Tri Village – Ninh Son Commune – Khanh Hoa Province – VietNam

Represented by: **MRS. BACH THI KIM CUONG** Title: Director

Email: btkcuong@phongphucorp.com

It has been mutually agreed to sign the contract with the terms and conditions as follows:

Two parties agree to sign Contract of supplying goods with the following contents:

ARTICLE 1. GOODS DETAILS - QUANTITY - VALUE

I- Saga LMH003-300 Singeing machine - Made in China

1, Description of goods:

1	SG988 entry frame	1 set
2	J-BOX unit	1 set
3	Cylinder unit Four-roller	1 set
4	MH012A pre-brush box	1 set
5	Dust remove device (after MH012A pre-brush box)	1 set
6	MH013 four-burners singeing four burners (2 burners: 3000mm ;2burners: 2000mm)	1 set
7	MH012B post-brush box	1 set
8	Dust remove device (after MH012B post-brush box)	1 set
9	SG2205 feeding tank	2 set
10	SG-P1 two-roll squeezer	1 set
11	SG591 Two-roll squeezer	1 set
12	J-BOX unit	1 set
12	SG988 batcher/plaiter	1 set
13	Electric control system	1 set
14	Cable, cable tray	1 set

Specification: As per Annex No. 1 All equipment and accessories are as specified in Annex No. 1 which forms an integral part of this contract. Production year: 2025 Origin: China

Quality: 100% Brand-New

II- HAYING LOOM: 2 UNIT

Specification: As per Annex No. 2 All equipment and accessories are as specified in Annex No.2 which forms an integral part of this contract. Production year: 2025 Origin: China

Quality: 100% Brand-New

MAIN SPECIFICATION FOR Air jet loom HY93 -280-4N-10P (CAM)

Item	Required Specification	Remark
Reed width:	Nominal:280 cm	

Speed:	280cm 650~750rpm; practical speed depends on fabric type, yarn quality and weaving condition.	
Weft insertion:	Main and sub-nozzles combined system	
Weft selection:	4-color at will	
Shedding:	Positive cam shedding: (10) shafts (10 max)	BINTIAN6890B
Let-off:	Electronic let-off (servo motor), Double back rest, automatic reverse, single beam system	
Take-up:	Electronic (servo motor) Density range: standard 15~300picks/cm (practical density depends on yarn count and fabric structure.)	Batching motion
Beating:	Crank Throw type beating system	
	Profile reed system	
Selvage:	LH + Center *(1) + RH Pneumatic selvage tuck-in	
Lubrication:	Automatic Centralized Lubrication System	
Stop motion:	Weft: Photoelectric double weft sensor Warp: Electronic 6-row contact bar system Automatic stop for leno yarn and waste selvage yarn break Stop reason indication: Indication on control panel and 4 color indicating lamp.	
Control system:	BAINA control system	
Drive:	Magnetic break control position stop directly Direct drive main motor 3. 7kW Both hands button safety operation.	
Voltage:	380 volts / 50Hz electric source	
Inverter:	Individual inverter	

Accessories		
Item	Required accessories	Remark
Welf feeders:	(2) pcs /loom (IRO)	
Heald frames:	(10) Pcs/loom New light C type	
Beams:	(2) pcs/loom (flange:800mm)	
Reed:	(2) pcs/loom Reed dents ()	
Healds wires:	(12000) Pcs/loom C type331 5.5*1.2*0.3	Dobby/Cam
Droppers:	(12000) pcs/loom	close type 165*11*0.2
	□open type 165*11*0.3	
	□close type 165*11*0.2	
Tools, spares:	HAIYING standard spares and tools	

ARTICLE 2. DELIVERY TIME

- Delivery time: 90 - 120 days after getting the deposit.
- Port of receipt: CIF CAT LAI – Ho Chi Minh VIET NAM.

ARTICLE 3. THE SELLER'S RESPONSIBILITIES

The Seller commits to supply to the Buyer the goods fully as stipulated in Article 1 of this Contract and to faithfully perform all obligations and responsibilities under this Contract.

In case the Seller does not deliver the goods on time as stated in this Contract, other than due to force majeure (including but not limited to earthquake, war, embargo, or other unforeseeable causes), the Buyer shall have the right to request compensation equivalent to one point five percent (1.5%) of the value of the delayed goods for each day of delay. The total compensation shall not exceed ten percent (10%) of the value of the delayed goods. The maximum allowable delay shall be one (01) calendar week.

If the delay exceeds this period and causes any loss or damage to the Buyer, the Seller shall compensate the Buyer for such loss or damage.

ARTICLE 4. THE BUYER'S RESPONSIBILITIES

The Buyer commits to pay The Seller according to the contract price and payment method stated in Article 5 of this contract as well as fully performing other obligations and responsibilities stated in the contract.

ARTICLE 5. CONTRACT PRICE AND PAYMENT METHOD

I- Contract price:

1. LMH003-300 Singeing machine: 1 UNIT

Total (CIF price) 169,000 USD

SAY TOTAL USD: ONE HUNDRED SIXTY-NINE THOUSAND USD.

Option items

Cylinder unit 1 set: 9,000 USD

Dynamic filter 1 set: 4,500 USD

1.1 The price does not include Supervisor's Dispatching fee.

Dispatching fee for 15,000 USD - 15 days/ 2 technician.

1.2 Transportation fee from Cat Lai Port to Ninh Thuan province for 1,500 USD (1 time)

1.3 Maintenance fee: USD 2,000 per three (3) months, counted after one (01) year from the end of the guarantee period.

Regular maintenance shall be conducted once a month during the first six (6) months, and every three (3) months thereafter.

1.4 Shipment: from any China port to Vietnam by sea

2. HAYING LOOM: 2 UNITS

OFFER ON CIF HCM

o	Description	Qty.	Unit price USD	Amount USD
1	Air jet loom HY93 -280-4N-10P (CAM)	2	US\$23,420.00	US\$46,840.00
2	EXTRA SPARE PARTS :			
2.1	Weft feeders:(IRO)	4	US\$650.00	US\$2,600.00
2.2	Heald frames,:New light C type	20	US\$110.00	US\$2,200.00
2.3	12000pcs Healds wires C type331 5.5*1.2*0.3 + 12000pcs Droppers close type 165*11*0.2	2	US\$1,000.00	US\$2,000.00
2.4	1 set 2/1 Cam set including 6pcs 2/1 + 1pc 1/2 + Gear sets R6	1	US\$610.00	US\$610.00

2.5	1 set 3/1 Cam set including 4pcs 3/1 + 1pc 1/3 + Gear sets R4	1	US\$470.00	US\$470.00
2.6	Electronic 6-row contact bar system	2	US\$450.00	US\$900.00
	INSURANCE AND SEA FREIGHT COST:			US\$1,300.00
	DELIVERY TO KHANH HOA FACTORY:			US\$2,000.00
	Total CIF HCM :			US\$58,920.00

SAY TOTAL USD: FIFTY-EIGHT THOUSAND NINE HUNDRED TWENTY USD.

II- Payment: TT method:

The Buyer agrees to pay 30% of contract value within 10 days after the contract is signed. Against the shipping documents, The Buyer will remit second installment in favor of The Seller, covering 65% of total contract-value. The final 5% of contract value, will be remitted in favor of The Seller upon the signature of Certificate of Acceptance & Handling, not later than 24 months from B/L issuing date.

All bank charges inside the Buyer's country will be borne by the Buyer, all bank charges outside the Buyer's country will be borne by the Seller.

ARTICLE 6. INSTALLATION, OPERATION AND TECHNOLOGY TRANSFER

After the delivery date is confirmed, the staff must be present at Factory, to instruct Party the buyer installation, operation and technology transfer.

The seller is responsible for guiding the buyer's installation and technical handover.

The seller shall pay visa fees, round-trip airfare and salaries for employees working in Vietnam.

(Installation time and method of operation transfer will be agreed upon when signing the official contract.)

ARTICLE 7. GUARANTEE

The warranty period shall be defined as follows, counted from the date of installation acceptance at the factory:

(a) Electrical components: thirty-six (36) months

(b) All other components: twelve (12) months

Notwithstanding the above, any defects or failures resulting from manufacturing defects, design defects, or initial defects (including defects discovered at the time of installation, testing, or initial operation) shall be covered under the warranty during the applicable warranty period.

This warranty shall not cover damages or failures caused by misuse, improper handling, or operation not in accordance with the Seller's instructions by the end user.

ANNEX 01

LMH003-300 Singeing machine

Technical instruction and process flow chart

1. **Application:** remove the fluff on the surface to make the surface smooth

2. **Technical parameter:**

Drive side: right / left

Machine width: 3000mm

Working width: 2800mm

Machine speed: 120m/min

Steam pressure: 0.2-0.3 Mpa

Compressed air pressure: 0.5Mpa

Water pressure: 0.1-0.2Mpa

Power: 3 phase 380V 50Hz AC

Drive method: Multi AC gear motor drive, inverter synchronization speed adjusting, PLC control, panel touch screen operation

3. **Process:**

SG988 entry frame → J-BOX unit → Cylinder unit → MH012A pre-brush box → Dust remove device
 → MH013 four-burners singeing → MH012B post-brush box → Dust remove device → SG2205
 feeding tank(upper 4, lower 5) → SG-P1 two-roll squeezer → SG2205 feeding tank → SG-P1 two-roll
 squeezer → J-BOX unit → SG988 batcher/plaiter

Supply list

No.	description	No.	comment
1.	SG988 entry frame	1 set	
2.	J-BOX unit	1set	
3.	Cylinder unit	1set	
4.	MH012A pre-brush box	1 set	
5.	Dust remove device (after MH012A pre-brush box)	1 set	

No.	description	No.	comment
6.	MH013 four-burners singeing	1 set	four burners(2 burners: 3000mm 2 burners: 2000mm)
7.	MH012B post-brush box	1set	
8.	Dust remove device (after MH012B post-brush box)	1 set	
9.	SG2205 feeding tank	2 set	
10.	SG-P1 two-roll squeeze	2 set	
11.	J-BOX unit	1set	
12.	SG988 batcher/plaiter	1 set	
13.	Electric control system	1 set	
14.	Cable, cable tray	1 set	

4. Unit feature:

4.1 SG988 entry frame

Standard section steel frame
SS304 guide rollers, diameter 180mm, top guide rollers with pneumatic braking device, adjust the tension of entry fabric

- 1 manual tensioner
- 1 traction padder
- Rubber drive roller, diameter 200mm
- AC gear motor drive
- SS press roller, diameter 125mm
- Pneumatic air cylinder

1 photoelectric centering device

4.2 J-BOX unit

- 1 SS star roller, diameter 225mm
- SS J-BOX, cloth content 300m
- Long arm pneumatic dance compensator
- SS dance roller, diameter 150mm
- Pneumatic air cylinder
- Linear pressure regulating valve, SMC brand/Japan
- Pressure switch
- Pressure gauge
- Chainless angel sensor

- Pneumatic central control, SS304 control box

4.3 Cylinder unit

Frame

- H shaped steel columns
- Section steel outer frame

Dry cylinder

- 4 cylinders, SS304, diameter 800mm
- Rotary steam inlet joint, Maier brand/Germany
- Steam trap, Spirax Sarco brand/UK
- Steam inlet, backwater steel pipes & metal hoses
- Every 2 cylinders 1 AC gear motor drive, SEW brand/Germany, total 2 sets

General steam inlet

- Stop valve
- Pressure gauge
- Safety valve

4.4 MH012A pre-brush box

Carbon steel box, painting surface

SS304 guide rollers, diameter 150mm

4 brush rollers, diameter 190mm, the contact surface length & angle with cloth adjustable

2 grinding rollers, diameter 190mm, 1 AC gear motor drive

1 dust suction motor

4.5 Dust remove device

1 set of a vacuum duct. Uniform suction port, uniform suction power.

1 set-dedusting fan. Special dust suction fan for textile is adopted, with motor power of 5.5KW.

1 set-Cyclone cleaner. The air containing impurities such as fluff is sent to the dust collection bag by the dedusting fan, and there is no fluff leakage.

4.6 MH013 four-burner singeing

Full closed box, with inspection windows

4 burners, copy osthoff type anti-high temperature, no deformable, high performance

The delivery of replacement parts shall be made on an EX-WORKS basis.

The warranty does not include accommodation, travel expenses, or labor costs of technicians dispatched for repair or replacement work related to the warranty.

Any costs related to maintenance services, including technician dispatch, shall be determined through mutual consultation between both Parties.

ARTICLE 8. FORCE MAJEURE

Force majeure circumstances such as war, socio-political events, fire, flood, strike, earthquake and act of God must be modified by cable by one party to the other within 7 days and together with certificate of Force majeure issued by the competent authorities for acceptance or non-acceptance.

Beyond this time, Force Majeure circumstances shall not be taken into consideration.

ARTICLE 9. THE CONTRACT'S VALIDITY

1. This Contract shall be valid from the date of signing by both Parties.
2. This Contract shall be executed in three (3) originals of equal legal validity, of which the Buyer shall retain one (1) original, the Seller shall retain one (1) original, and the Consignee shall retain one (1) original.

December 12, 2025

THE BUYER

YAMAICHI CO., LTD

大阪市西区土佐堀1丁目4番11号
山一株式会社
代表取締役
社長 殿谷茂人



THE SELLER

NGOC THOM TRADING AND SERVICE CO., LTD



Chủ tịch công ty
Trần Thị Chom

THE CONSIGNEE

PHONG PHU HOME TEXTILE JOINT STOCK COMPANY

GENERAL DIRECTOR



Bach Thi Kim Cuong

ANNEX 01

LMH003-300 Singeing machine

Technical instruction and process flow chart

1. **Application:** remove the fluff on the surface to make the surface smooth

2. **Technical parameter:**

Drive side: right / left

Machine width: 3000mm

Working width: 2800mm

Machine speed: 120m/min

Steam pressure: 0.2-0.3 Mpa

Compressed air pressure: 0.5Mpa

Water pressure: 0.1-0.2Mpa

Power: 3 phase 380V 50Hz AC

Drive method: Multi AC gear motor drive, inverter synchronization speed adjusting, PLC control, panel touch screen operation

3. **Process:**

SG988 entry frame → J-BOX unit → Cylinder unit → MH012A pre-brush box → Dust remove device
→ MH013 four-burners singeing → MH012B post-brush box → Dust remove device → SG2205
feeding tank(upper 4, lower 5) → SG-P1 two-roll squeezer → SG2205 feeding tank → SG-P1 two-roll
squeezer → J-BOX unit → SG988 batcher/plaiter

Supply list

No.	description	No.	comment
1.	SG988 entry frame	1 set	
2.	J-BOX unit	1set	
3.	Cylinder unit	1set	
4.	MH012A pre-brush box	1 set	
5.	Dust remove device (after MH012A pre-brush box)	1 set	

Four burners (2 burners: 3000mm 2 burners: 2000mm)

The route of the singeing machine is suggested: burn the reverse side first, and then burn the front side. The cloth is baked by singeing and evaporating water drier for better front singeing.

Program control start-up, auto ignition & extinguishing devices

Distance between burner and fabric adjustable

Pneumatic burner angle adjusting,

4 cooling cylinders, diameter 200mm, each with 2 rotary joints

Emergency stop, burner with automatic turning and limited speed turning function

1 dust suction device

Gas & air mixing tube, fan system of hot gas valve

Burner exit with extinguishing device

Relying on the pneumatic lifting of the chilled water roller and the two-stage steering of the burner, multi-functional singeing can be carried out: cut burning, butt burning, and penetrating burning.



1 set liquefied petroleum gas heaters.

4.7 MH012B post-brush box

1 set frame

2 pieces stainless steel rollers, diameter 185mm

1 set transmission system Two motors are directly connected to the brush roller. The motors have a power of 1.1KW and their rotational speed is controlled by frequency conversion.

1 set brush adjustment device

1 set dust suction duct

1 set dust removal fan

1 set water curtain dust removal

4.8 SG2205 feeding tank

Full closed washer box

- Cloth content 11m,
- SS304 washer box, pickling and passivation surface
- Bearing sides thickness 4+3mm, top cover 1.5mm, others 3mm
- Both sides glass windows, rubber stripe seal
- Top covers assisted spring open

Internal guide roller

- SS304, diameter 200mm
- up 4 down 5 structure
- External bearing support, SS bearing seats, mechanical seal
- indirect heating device
- pneumatic drainage valve

4.9 SG-P1 two-roll squeezer

1 carbon steel frame, painting surface, inclined structure

1 rubber roller, diameter 300mm, shore A80',

1 SS304 drive roller, diameter 300mm, AC gear motor drive SEW brand

1 rubber bow roller before squeezer, diameter 125mm

1 SS304 spray tube before squeezer

1 pneumatic pressurization system, air cylinder pressing direct from top to bottom, with pressure gauge, pressure adjustable, padding rollers auto-separating while pressure release

1 linear pressure regulating valve, SMC brand/Japan

1 SS control box, pneumatic central control

4.10 J-BOX unit

- 1 SS star roller, diameter 225mm
- SS J-BOX, cloth content 300m
- Long arm pneumatic dance compensator
- SS dance roller, diameter 150mm
- Pneumatic air cylinder
- Linear pressure regulating valve, SMC brand/Japan
- Pressure switch
- Pressure gauge
- Chainless angel sensor
- Pneumatic central control, SS304 control box

4.11 SG988 Batcher/plaiter

Carbon steel bending frame, painting surface

Guide rollers

- SS304
- Diameter 180mm

Plaiter

- Traction padder
- 1 rubber drive roller, diameter 200mm
- AC gear motor drive,
- 1 SS press roller, diameter 125mm
- Pneumatic air cylinder lifting
- Plaiting mechanism
- AC gear motor drive

Batcher

- Swing arms
- Pneumatic air cylinder
- Rubber batching roller, diameter 200mm
- AC gear motor drive, SEW brand/Germany
- Rubber bow roller, diameter 125mm
- Safety guard & Safety switch

A, All pipes, valves & connectors outside of machine covered by buyer

5. Electric control system

SAGA supplies a safety & easy operation electric control system, max assure the continuous running of the machine.

The control system is operated easily and the program help machine have the best process ability. It must be repeatable and the highest technology level in safety.

SAGA provide the parts of the hardware:

- PLC Mitsubishi brand/Japan;
- Inverter Mitsubishi brand/Japan;
- Low voltage Schneider brand/France;
- Touch screen Fuji brand/Japan;

Control program of Machine Management

Machine status stand-by, set-up, production
Operation step
Production speed
Work time
Meter counter for daily & total production
Temperature display
Record past process procedures

Drives management
AC main drives programming & surveillance
Drives synchronization
Auxiliary motors programming & surveillance

Controllers & history
Automatic error detection with source information
Alarm forwarding at critical machine conditions
Emergency shutdown system

SAGA supplies standard electric cabinet. Supply the cable from electric cabinet to motors, placement of electric box within 5m from machine.

6. Main configuration description

Main AC gear motor reducer	SEW brand/Germany
Auxiliary motors	Made in China
Pneumatic regulating pressure valve	SMC brand/Japan
The bearings of squeezer	TWB brand
Inverter	Mitsubishi brand/Japan
PLC	Mitsubishi brand/Japan
Touch screen	Fuji brand/japan
Contactore	Schneider brand/France
Button	IDEK brand/Japan
Low voltage power supply & relay	Omron brand/Japan
Breaker	Schneider brand/France

Burner

Osthoff type structure;
high-temperature energy-saving
aluminum alloy new fire ports

7. Content of supply

Content of supply sees in contract details

Exclude:

- Preparation of the required foundation for the machine and all related work.
- the supply of working stock and auxiliaries of any kind
- Chemical containers and the required piping material,
- The piping to the connection points of the each machine units.
- Main drainage channel for waste water



**ZHEJIANG HAIYING INTELLIGENT
SCIENCE AND TECHNOLOGY CO.,LTD**

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

Control system:	BAINA control system	
Drive:	Magnetic break control position stop directly Direct drive main motor 3. 7kW Both hands button safety operation.	
Voltage:	380 volts / 50Hz electric source	
Inverter:	Individual inverter	
Accessories		
Item	Required accessories	Remark
Weft feeders:	(2) pcs /loom (IRO)	
Head frames:	(10) Pcs/loom New light C type	
Beams:	(2) pcs/loom (flange:800mm)	
Reed:	(2) pcs/loom Reed dents ()	
Healds wires:	(12000) Pcs/loom C type331 5.5*1.2*0.3	Dobby/Cam
Droppers:	(12000) pcs/loom	Chọn mua loại close type 165*11*0.2
	<input type="checkbox"/> open type 165*11*0.3	
	<input type="checkbox"/> close type 165*11*0.2	
Tools, spares:	HAIYING standard spares and tools	



**ZHEJIANG HAIYING INTELLIGENT
SCIENCE AND TECHNOLOGY CO.,LTD**

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

ANNEX 02

S/C No: HY93-Z-20250903

Date: Sept 03, 2025

To M/S.: **PHONG PHU HOME TEXTILE JOINT STOCK COMPANY**

Address: Hanh Tri Hamlet, quang Son Commune,
Ninh Son District, Ninh Thuan Province

Subject: Offer of Textile Capital Machinery for your Project
BRAND NEW AIR JET LOOM

Brand : HAIYING

Origin : China

Model : HY93



ZHEJIANG HAIYING INTELLIGENT SCIENCE AND TECHNOLOGY CO.,LTD

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

1. MAIN SPECIFICATION FOR Air Jet loom HY93 -280-4N-10P (CAM)

Item	Required Specification	Remark
Reed width:	Nominal:280 cm	
Speed:	280cm 650~750rpm; practical speed depends on fabric type, yarn quality and weaving condition.	
Weft insertion:	Main and sub-nozzles combined system	
Weft selection:	4-color at will	
Shedding:	Positive cam shedding: (10) shafts (10 max)	BINTIAN6890B
Let-off:	Electronic let-off (servo motor), Double back rest, automatic reverse, single beam system	
Take-up:	Electronic (servo motor) Density range: standard 15~300picks/cm (practical density depends on yarn count and fabric structure.)	Batching motion
Beating:	Crank Throw type beating system Profile reed system	
Selvage:	LH + Center * (1) + RH Pneumatic selvage tuck-in	
Lubrication:	Automatic Centralized Lubrication System	
Stop motion:	Weft: Photoelectric double weft sensor Warp: Electronic 6-row contact bar system Automatic stop for leno yarn and waste selvage yarn break Stop reason indication: Indication on control panel and 4 color indicating lamp.	



ZHEJIANG HAIYING INTELLIGENT SCIENCE AND TECHNOLOGY CO.,LTD

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

2. Spare parts list

No.	Code	Name	Model	Unit	Quantity
1	770-5M-20	Timing belt		pc	1
2	A00013	(M36)Threaded plug		pc	1
3	A00112	Encoder gear 2		pc	1
4	A00118	Bearing shell		pc	1
5	A00232JK	Imported bearing shell		pc	1
6	A01210	Bearing shell		pc	1
7	B0001-73	Tension plate		pc	2
8	B00103	Sub nozzle plug		pc	1
9	B00104	(JSC6-02) Stop valve		pc	1
10	B00124	(SMC) Solenoid valve		pc	1
11	B00125	(SMC) 2/2way solenoid valve	AVJ3220- DNM1631	pc	1
12	B00130-1	Straight joint		pc	1
13	B00131	Straight valve joint		pc	1
14	B00132	(AKH06B-02S) One-way valve	AKH06B-02S	pc	1
15	B00140	R3/4-1 Intake air pipe joint		pc	1
16	B00141	R1-1 Intake air pipe joint		pc	1
17	B00405	Bearing shell		pc	1
18		Heald frame guideway(plastic)		pc	2
19	D00005	Left beam reed		pc	1
20	D00006	Right beam reed		pc	1
21	D00007	Beam reed pin		pc	1
22	D00008	Hand grip joint		pc	1
23	D00010	Gasket		pc	2
24	D00011	Press cake		pc	2
25	D00012	Stopper ring		pc	2
26	D00120	Warp loose link rod		pc	1
27	D00122A	bearing seat		pc	1
28	D00135	Circlip		pc	2



ZHEJIANG HAIYING INTELLIGENT SCIENCE AND TECHNOLOGY CO.,LTD

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

29	E00011	Left spring hook		pc	2
30	E00012	Right spring hook		pc	2
31	E9011	Extension roller seat		pc	2
32	E00026	Feeler arm		pc	2
33	E00031	Feeler lever probe rod		pc	2
34	E00041	55x75x10Y Rubber sealing ring		pc	2
35	E00044	press roll lever gasket		pc	2
36	E00106	Hexagonal head screw		pc	2
37	E00129M	Brake belt componet		pc	4
38	E00130	tension spring		pc	4
39	E3JK-5M2	Infrared photoelectric switch		Set	1
40	F0001-71	Left yarn shaft support component		pc	2
41	F0001-72	Right yarn shaft support component		pc	2
42	F0001-76	Elastic tensioner component		pc	2
43	F00065	bearing seat		pc	2
44		The shaft coupling cushion		pc	2
45	F00233	Leno guide		pc	2
46	F00253	Yarn guide pipe		pc	4
47	F00279	Winding type waste selvedge yarn component		pc	1
48	G00010	Temple handgrip		pc	2
49	G00012	Temple fixed block		pc	2
50	G00013	Left Temple		pc	2
51	G00014	Right temple		pc	2
52	G00034	Temple rod grip slipper		pc	2
53	G00035	grip slipper fixed block		pc	2
54	G00036	Temple rod fixed block		pc	2
55	G00037	(1290) Temple rod		pc	2
56	H00014	Left scissor return spring		pc	2



ZHEJIANG HAIYING INTELLIGENT SCIENCE AND TECHNOLOGY CO.,LTD

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

57	H00016	Left scissor cam		pc	2
58	H0001-81	Right scissor component		pc	2
59	K00014-42	42stepping motor		pc	1
60	J00003	magnet		pc	2
61	J00015	Plastic hand grip		pc	2
62	J09106	Φ6*Φ4 Air pipe (white)	Φ6*Φ4	meter	3
63	J09107	Φ8*Φ6 Air pipe (black)	Φ8*Φ6	meter	3
64	J09108	Φ8*Φ6 Air pipe (white)	Φ8*Φ6	meter	3
65	J09109	Φ10*Φ8 Air pipe (black)	Φ10*Φ8	meter	3
66	J09239	Φ10*Φ8 Air pipe (white)		meter	3
67	J09110	Φ12*Φ10 Air pipe (black)	Φ12*Φ10	meter	3
68	J09111	Φ12*Φ10 Air pipe (white)	Φ12*Φ10	meter	3
69	J09208	(45g) Nanda 87sealant		pc	2
70	K00008	Weft break sensor		pc	2
71	M6X1-9K	wire thread insert		pc	4
72	NK1512	needle roller bearing without inner ring		pc	2
73	PMF4-01	Quick pulg connector		pc	2
74	PY6	Φ6 3 way plug		pc	2
75	B00007-3	(Φ8) Joint seal			4pcs/unit
76	B00135-3	(Φ3/16) Joint seal			20pcs/unit
77	B00144	Sub-nozzle plug			8pcs/unit
78	3×100	Ties			10pcs/unit
79	5×300	Ties			10pcs/unit
80	H00001	LH 1			1pc/4units
81	H00002	LH2			1pc/4units
82	G00011	Temple connector			1pc/2units
83	B00010	Sub-nozzle component			2pcs/unit
84	B00012	Weft sensor clamp			2pcs/unit
85	B00013	Adjusting screw	Including 3 M5 screw		3sets/unit



**ZHEJIANG HAIYING INTELLIGENT
SCIENCE AND TECHNOLOGY CO.,LTD**

LEAN VILLAGE, XINSHI TOWN DEQING INDUSTRIAL ZONE
HUZHOU CITY ZHEJIANG CHINA

Tel: +8615168417453; Email: 1063894079@qq.com

86	F00046	Wire winding tube component		1pc/unit
87	F00047	yarn pipe shaft		1pc/unit
88		3/16" (SMC) nylon tube		1m/unit
89		Φ8 (SMC) nylon tube (blue)		0.25m/unit
90		Φ8 (SMC) nylon tube (yellow)		0.25m/unit
91		1/4Quick plug	For cleaning	1pc/4units
92		6212uu bearing	beam bearing	2pcs/unit
93		R21-1 Air source pipe joint		1pc/unit
94		1 inch ball valve		1pc/unit
95		1 inch air pipe (pressure >=10kgf)		1m/unit
96		Φ21~38 1 inch Clamp		2pcs/unit

special tool 1set

No.	Name	Model	Unit	Quantity
1	sub nuzzle adjusting tool		pc	1
2	pressure testing tool		pc	1
3	cam installation tool	for BT6880 CAM	pc	1
4	back rest postioning pad	flat key 16X60	pc	2
5	side temple postioning combination		pc	1
6	oil gun		pc	1
7	postioning pad		pc	1
8	postioning pad(right)		pc	1
9	rewinder		pc	1

normal tool 1 set

No.	Name	Model	Unit	Quantity
1	airjet loom tool box		pc	1